

PORTRAIT LIST

INTERNAL FONT

NUMBER (ID)	SYMBOL SET PITCH	SIZE	STYLE	WEIGHT	TYPEFACE	F	O	N	T	S	A	M	P	L	E (300dpi)
I000	OH														"#\$%&'()*+,-./012345
	P: Scalable		Upright(0)	Medium(0)	PcTENN Reg	OH (4101)	ABCD1111123								
	ESC(0HESC(s1p#v0s0b4101T			(#:point size	0.25 - 999.75)										
I001	OH														"#\$%&'()*+,-./012345
	P: Scalable		Upright(0)	Bold(3)	PcTENN Bd	OH (4101)	ABCD1111123								
	ESC(0HESC(s1p#v0s3b4101T			(#:point size	0.25 - 999.75)										
I002	OH														"#\$%&'()*+,-./0123456
	P: Scalable		Italic(1)	Medium(0)	PcTENN It	OH (4101)	ABCD1111123								
	ESC(0HESC(s1p#v1s0b4101T			(#:point size	0.25 - 999.75)										
I003	OH														"#\$%&'()*+,-./012345
	P: Scalable		Italic(1)	Bold(3)	PcTENN BdIt	OH (4101)	ABCD1111123								
	ESC(0HESC(s1p#v1s3b4101T			(#:point size	0.25 - 999.75)										
I004	OH														"#\$%&'()*+,-./012
	P: Scalable		Upright(0)	Medium(0)	UTAH Reg	OH (4148)	ABCD1111123								
	ESC(0HESC(s1p#v0s0b4148T			(#:point size	0.25 - 999.75)										
I005	OH														"#\$%&'()*+,-./01
	P: Scalable		Upright(0)	Bold(3)	UTAH Bd	OH (4148)	ABCD1111123								
	ESC(0HESC(s1p#v0s3b4148T			(#:point size	0.25 - 999.75)										
I006	OH														"#\$%&'()*+,-./012
	P: Scalable		Italic(1)	Medium(0)	UTAH It	OH (4148)	ABCD1111123								
	ESC(0HESC(s1p#v1s0b4148T			(#:point size	0.25 - 999.75)										
I007	OH														"#\$%&'()*+,-./01
	P: Scalable		Italic(1)	Bold(3)	UTAH BdIt	OH (4148)	ABCD1111123								
	ESC(0HESC(s1p#v1s3b4148T			(#:point size	0.25 - 999.75)										
I008	OH														"#\$%&'()*+,-./012
	P: Scalable		Upright(0)	Light(-3)	PcBRU Lt	OH (4143)	ABCD1111123								
	ESC(0HESC(s1p#v0s-3b4143T			(#:point size	0.25 - 999.75)										
I009	OH														"#\$%&'()*+,-./0
	P: Scalable		Upright(0)	Bold(2)	PcBRU Bd	OH (4143)	ABCD1111123								
	ESC(0HESC(s1p#v0s2b4143T			(#:point size	0.25 - 999.75)										
I010	OH														"#\$%&'()*+,-./012
	P: Scalable		Italic(1)	Light(-3)	PcBRU LtIt	OH (4143)	ABCD1111123								
	ESC(0HESC(s1p#v1s-3b4143T			(#:point size	0.25 - 999.75)										
I011	OH														"#\$%&'()*+,-./0
	P: Scalable		Italic(1)	Bold(2)	PcBRU BdIt	OH (4143)	ABCD1111123								
	ESC(0HESC(s1p#v1s2b4143T			(#:point size	0.25 - 999.75)										
I012	OH														"#\$%&'()*+,-.-
	F: Scalable		Upright(0)	Medium(0)	David Reg	OH (4239)	ABCD1111123								
	ESC(0HESC(s0p#h0s0b4239T			(#:pitch	0.10 - 576)										
I013	OH														"#\$%&'()*+,-
	F: Scalable		Upright(0)	Bold(3)	David Bd	OH (4239)	ABCD1111123								
	ESC(0HESC(s0p#h0s3b4239T			(#:pitch	0.10 - 576)										
I014	OH														"#\$%&'()*+,-
	F: Scalable		Italic(1)	Medium(0)	David It	OH (4239)	ABCD1111123								
	ESC(0HESC(s0p#h1s0b4239T			(#:pitch	0.10 - 576)										
I015	OH														"#\$%&'()*+,-
	F: Scalable		Italic(1)	Bold(3)	David BdIt	OH (4239)	ABCD1111123								
	ESC(0HESC(s0p#h1s3b4239T			(#:pitch	0.10 - 576)										
I016	OH														"#\$%&'()*+,-
	F: Scalable		Upright(0)	Medium(0)	Narkis Reg	OH (4247)	ABCD1111123								
	ESC(0HESC(s0p#h0s0b4247T			(#:pitch	0.10 - 576)										

ID: Symbol Set ID

PORTRAIT LIST

INTERNAL FONT

NUMBER (ID)	SYMBOL SET	PITCH	SIZE	STYLE	WEIGHT	TYPEFACE	F	O	N	T	S	A	M	P	L	E (300dpi)
I017	OH															
	F: Scalable Upright(0)				Bold(3)	Narkis Bd OH (4247) ESC(0HESC(s0p#h0s3b4247T #:pitch 0.10 - 576)										"#\$%&'()*+,-
I018	OH															
	F: Scalable Italic(1)				Medium(0)	Narkis It OH (4247) ESC(0HESC(s0p#h1s0b4247T #:pitch 0.10 - 576)									"#\$%&'()*+,-	
I019	8H															
	P: Scalable Upright(0)				Medium(0)	PcTENN Reg 8H (4101) ESC(8HESC(s1p#v0s0b4101T #:point size 0.25 - 999.75)										
I020	8H															
	P: Scalable Upright(0)				Bold(3)	PcTENN Bd 8H (4101) ESC(8HESC(s1p#v0s3b4101T #:point size 0.25 - 999.75)									"#\$%&'()*+,-./0	
I021	8H															
	P: Scalable Italic(1)				Medium(0)	PcTENN It 8H (4101) ESC(8HESC(s1p#v1s0b4101T #:point size 0.25 - 999.75)									"#\$%&'()*+,-./0	
I022	8H															
	P: Scalable Italic(1)				Bold(3)	PcTENN BdIt 8H (4101) ESC(8HESC(s1p#v1s3b4101T #:point size 0.25 - 999.75)									"#\$%&'()*+,-./0	
I023	8H															
	P: Scalable Upright(0)				Medium(0)	UTAH Reg 8H (4148) ESC(8HESC(s1p#v0s0b4148T #:point size 0.25 - 999.75)									"#\$%&'()*+	
I024	8H															
	P: Scalable Upright(0)				Bold(3)	UTAH Bd 8H (4148) ESC(8HESC(s1p#v0s3b4148T #:point size 0.25 - 999.75)									"#\$%&'()*+	
I025	8H															
	P: Scalable Italic(1)				Medium(0)	UTAH It 8H (4148) ESC(8HESC(s1p#v1s0b4148T #:point size 0.25 - 999.75)									"#\$%&'()*+	
I026	8H															
	P: Scalable Italic(1)				Bold(3)	UTAH BdIt 8H (4148) ESC(8HESC(s1p#v1s3b4148T #:point size 0.25 - 999.75)									"#\$%&'()*+	
I027	8H															
	P: Scalable Upright(0)				Light(-3)	PcBRU Lt 8H (4143) ESC(8HESC(s1p#v0s-3b4143T #:point size 0.25 - 999.75)									"#\$%&'()*+	
I028	8H															
	P: Scalable Upright(0)				Bold(2)	PcBRU Bd 8H (4143) ESC(8HESC(s1p#v0s2b4143T #:point size 0.25 - 999.75)									"#\$%&'()	
I029	8H															
	P: Scalable Italic(1)				Light(-3)	PcBRU LtIt 8H (4143) ESC(8HESC(s1p#v1s-3b4143T #:point size 0.25 - 999.75)									"#\$%&'()*+	
I030	8H															
	P: Scalable Italic(1)				Bold(2)	PcBRU BdIt 8H (4143) ESC(8HESC(s1p#v1s2b4143T #:point size 0.25 - 999.75)									"#\$%&'()	
I031	8H															
	F: Scalable Upright(0)				Medium(0)	David Reg 8H (4239) ESC(8HESC(s0p#h0s0b4239T #:pitch 0.10 - 576)									"#\$%&'()*+,-	
I032	8H															
	F: Scalable Upright(0)				Bold(3)	David Bd 8H (4239) ESC(8HESC(s0p#h0s3b4239T #:pitch 0.10 - 576)									"#\$%&'()*+,-	
I033	8H															
	F: Scalable Italic(1)				Medium(0)	David It 8H (4239) ESC(8HESC(s0p#h1s0b4239T #:pitch 0.10 - 576)									"#\$%&'()*+,-	

ID:Symbol Set ID

PORTRAIT LIST

INTERNAL FONT

NUMBER (ID)	SYMBOL SET PITCH	SIZE	STYLE	WEIGHT	TYPEFACE	F O N T S A M P L E (300dpi)
I034	8H					ABCDefgh123 i ↗⁻¹²⁴ i «»! "#\$%&' ()*+, -
	F: Scalable	Italic(1)	Bold(3)	David BdIt 8H (4239) ESC(8HESC(s0p#h1s3b4239T (#:pitch 0.10 - 576)		
I035	8H					ABCDefgh123 i ↗⁻¹²⁴ i «»! "#\$%&' ()*+, -
	F: Scalable	Upright(0)	Medium(0)	Narkis Reg 8H (4247) ESC(8HESC(s0p#h0s0b4247T (#:pitch 0.10 - 576)		
I036	8H					ABCDefgh123 i ↗⁻¹²⁴ i «»! "#\$%&' ()*+, -
	F: Scalable	Upright(0)	Bold(3)	Narkis Bd 8H (4247) ESC(8HESC(s0p#h0s3b4247T (#:pitch 0.10 - 576)		
I037	8H					ABCDefgh123 i ↗⁻¹²⁴ i «»! "#\$%&' ()*+, -
	F: Scalable	Italic(1)	Medium(0)	Narkis It 8H (4247) ESC(8HESC(s0p#h1s0b4247T (#:pitch 0.10 - 576)		
I038	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0
	P: Scalable	Upright(0)	Medium(0)	PcTENNES Reg (4101) ESC(IDESC(s1p#v0s0b4101T (#:point size 0.25 - 999.75)		
I039	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0
	P: Scalable	Upright(0)	Bold(3)	PcTENNES Bd (4101) ESC(IDESC(s1p#v0s3b4101T (#:point size 0.25 - 999.75)		
I040	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0
	P: Scalable	Italic(1)	Medium(0)	PcTENNES It (4101) ESC(IDESC(s1p#v1s0b4101T (#:point size 0.25 - 999.75)		
I041	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0
	P: Scalable	Italic(1)	Bold(3)	PcTENNES BdIt (4101) ESC(IDESC(s1p#v1s3b4101T (#:point size 0.25 - 999.75)		
I042	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /01
	P: Scalable	Upright(0)	Medium(0)	OKLAHOMA Reg (4113) ESC(IDESC(s1p#v0s0b4113T (#:point size 0.25 - 999.75)		
I043	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0
	P: Scalable	Upright(0)	Bold(3)	OKLAHOMA Bd (4113) ESC(IDESC(s1p#v0s3b4113T (#:point size 0.25 - 999.75)		
I044	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /01
	P: Scalable	Italic(1)	Medium(0)	OKLAHOMA It (4113) ESC(IDESC(s1p#v1s0b4113T (#:point size 0.25 - 999.75)		
I045	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0
	P: Scalable	Italic(1)	Bold(3)	OKLAHOMA BdIt (4113) ESC(IDESC(s1p#v1s3b4113T (#:point size 0.25 - 999.75)		
I046	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0
	P: Scalable	Italic(1)	Medium(0)	CONNECTICUT (4116) ESC(IDESC(s1p#v1s0b4116T (#:point size 0.25 - 999.75)		
I047	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /0123456789; < =
	P: Scalable	Upright(4)	Bold(3)	CLEVELAND Cd (4140) ESC(IDESC(s1p#v4s3b4140T (#:point size 0.25 - 999.75)		
I048	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /012345678
	P: Scalable	Upright(0)	Light(-3)	PcBRUSSEL Lt (4143) ESC(IDESC(s1p#v0s-3b4143T (#:point size 0.25 - 999.75)		
I049	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /012345678
	P: Scalable	Upright(0)	Bold(2)	PcBRUSSEL Bd (4143) ESC(IDESC(s1p#v0s2b4143T (#:point size 0.25 - 999.75)		
I050	10U:PC-8...					ABCDefgh123 i ↗⁻¹½¹¼ i «»! "#\$%&' ()*+, -. /012345678
	P: Scalable	Italic(1)	Light(-3)	PcBRUSSEL LtIt (4143) ESC(IDESC(s1p#v1s-3b4143T (#:point size 0.25 - 999.75)		

ID:Symbol Set ID

PORTRAIT LIST

INTERNAL FONT

NUMBER (ID)	SYMBOL SET PITCH	SIZE	STYLE	WEIGHT	TYPEFACE	F O N T S A M P L E (300dpi)
I051	10U:PC-8...					ABCDefgh123 { ← -½½½!«»!"#\$%&'()
	P: Scalable		Italic(1)	Bold(2)	PcBRUSSEL BdIt (4143) ESC(IDESC(s1p#v1s2b4143T (#:point size 0.25 - 999.75)	
I052	10U:PC-8...			Medium(0)	UTAH Reg (4148) ESC(IDESC(s1p#v0s0b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +
I053	10U:PC-8...			Bold(3)	UTAH Bd (4148) ESC(IDESC(s1p#v0s3b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +
I054	10U:PC-8...			Medium(0)	UTAH It (4148) ESC(IDESC(s1p#v1s0b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +
I055	10U:PC-8...			Bold(3)	UTAH BdIt (4148) ESC(IDESC(s1p#v1s3b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +
I056	10U:PC-8...			Medium(0)	UTAH Cd Reg (4148) ESC(IDESC(s1p#v4s0b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./012345678
I057	10U:PC-8...			Bold(3)	UTAH Cd Bd (4148) ESC(IDESC(s1p#v4s3b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./01234567
I058	10U:PC-8...			Medium(0)	UTAH Cd It (4148) ESC(IDESC(s1p#v5s0b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./012345678
I059	10U:PC-8...			Bold(3)	UTAH Cd BdIt (4148) ESC(IDESC(s1p#v5s3b4148T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./01234567
I060	10U:PC-8...			Medium(0)	AnOAKLAND Reg (4168) ESC(IDESC(s1p#v0s0b4168T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +
I061	10U:PC-8...			Bold(3)	AnOAKLAND Bd (4168) ESC(IDESC(s1p#v0s3b4168T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'()
I062	10U:PC-8...			Medium(0)	AnOAKLAND It (4168) ESC(IDESC(s1p#v1s0b4168T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,
I063	10U:PC-8...			Medium(0)	GUATEMALA Reg (4197) ESC(IDESC(s1p#v0s0b4197T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./012
I064	10U:PC-8...			Bold(3)	GUATEMALA Bd (4197) ESC(IDESC(s1p#v0s3b4197T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./0
I065	10U:PC-8...			Medium(0)	GUATEMALA It (4197) ESC(IDESC(s1p#v1s0b4197T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./01234
I066	10U:PC-8...			Bold(3)	GUATEMALA BdIt (4197) ESC(IDESC(s1p#v1s3b4197T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./012
I067	10U:PC-8...			Medium(0)	MARYLAND (4297) ESC(IDESC(s1p#v0s0b4297T (#:point size 0.25 - 999.75)	ABCDefgh123 { ← -½½½!«»!"#\$%&'() * +,-./0123456789; < = > ?

ID:Symbol Set ID

PORTRAIT LIST

INTERNAL FONT

NUMBER (ID)	SYMBOL SET PITCH	SIZE	STYLE	WEIGHT	TYPEFACE	F	O	N	T	S	A	M	P	L	E (300dpi)
I068	10U:PC-8...														
	P: Scalable		Upright(0)	Bold(1)	ALASKA Reg	(4362)									ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,,-
	ESC(IDESC(s1p#v0s1b4362T				(#:point size	0.25 - 999.75)									
I069	10U:PC-8...														
	P: Scalable		Upright(0)	Bold(4)	ALASKA Xb	(4362)									ABCDefgh123ç└¬½¼;¤!"#\$%&'()*
	ESC(IDESC(s1p#v0s4b4362T				(#:point size	0.25 - 999.75)									
I070	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./01
	P: Scalable		Upright(0)	Medium(0)	HELSINKI Reg	(16602)									ESC(IDESC(s1p#v0s0b16602T
					(#:point size	0.25 - 999.75)									
I071	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-/0
	P: Scalable		Upright(0)	Bold(3)	HELSINKI Bd	(16602)									ESC(IDESC(s1p#v0s3b16602T
					(#:point size	0.25 - 999.75)									
I072	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./01
	P: Scalable		Italic(1)	Medium(0)	HELSINKI It	(16602)									ESC(IDESC(s1p#v1s0b16602T
					(#:point size	0.25 - 999.75)									
I073	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-/0
	P: Scalable		Italic(1)	Bold(3)	HELSINKI BdIt	(16602)									ESC(IDESC(s1p#v1s3b16602T
					(#:point size	0.25 - 999.75)									
I074	19M:SYMBOL														ABXΔεφγη123♦♥♣←←↑→↓!∀#Ξ%&Ξ()*+,
	P: Scalable		Upright(0)	Medium(0)	BR SYMBOL	(16686)									ESC(19MESC(s1p#v0s0b16686T
					(#:point size	0.25 - 999.75)									
I075	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./0123
	P: Scalable		Upright(0)	Medium(0)	TENNESSEE Reg	(16901)									ESC(IDESC(s1p#v0s0b16901T
					(#:point size	0.25 - 999.75)									
I076	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./012
	P: Scalable		Upright(0)	Bold(3)	TENNESSEE Bd	(16901)									ESC(IDESC(s1p#v0s3b16901T
					(#:point size	0.25 - 999.75)									
I077	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./0123
	P: Scalable		Italic(1)	Medium(0)	TENNESSEE It	(16901)									ESC(IDESC(s1p#v1s0b16901T
					(#:point size	0.25 - 999.75)									
I078	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./012
	P: Scalable		Italic(1)	Bold(3)	TENNESSEE BdIt	(16901)									ESC(IDESC(s1p#v1s3b16901T
					(#:point size	0.25 - 999.75)									
I079	579L:Wingdings														ABXΔεφγη123♦♥♣←←↑→↓!∀#Ξ%&Ξ()*+,
	P: Scalable		Upright(0)	Medium(0)	W DINGBATS	(31402)									ESC(579L:ESC(s1p#v0s0b31402T
					(#:point size	0.25 - 999.75)									
I080	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./01234
	P: Scalable		Upright(0)	Bold(3)	GERMANY	(132)									ESC(IDESC(s1p#v0s3b132T
					(#:point size	0.25 - 999.75)									
I081	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-.
	P: Scalable		Upright(0)	Bold(5)	SAN DIEGO	(133)									ESC(IDESC(s1p#v0s5b133T
					(#:point size	0.25 - 999.75)									
I082	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./012
	P: Scalable		Upright(0)	Bold(3)	BERMUDA SCRIPT	(134)									ESC(IDESC(s1p#v0s3b134T
					(#:point size	0.25 - 999.75)									
I083	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./0123
	P: Scalable		Upright(0)	Medium(0)	US ROMAN	(135)									ESC(IDESC(s1p#v0s0b135T
					(#:point size	0.25 - 999.75)									
I084	10U:PC-8...														ABCDefgh123ç└¬½¼;¤!"#\$%&'()*+,-./0
	P: Scalable		Upright(0)	Medium(0)	ATLANTA Reg	(155)									ESC(IDESC(s1p#v0s0b155T
					(#:point size	0.25 - 999.75)									

ID:Symbol Set ID

PORTRAIT LIST

INTERNAL FONT

NUMBER (ID)	SYMBOL SET	PITCH	SIZE	STYLE	WEIGHT	TYPEFACE	F	O	N	T	S	A	M	P	L	E (300dpi)
I085	10U:PC-8...															
	P: Scalable	Upright(0)		Bold(3)	ATLANTA Bd	(155) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./0
I086	10U:PC-8...															
	P: Scalable	Italic(1)		Medium(0)	ATLANTA It	(155) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./0
I087	10U:PC-8...															
	P: Scalable	Italic(1)		Bold(3)	ATLANTA BdIt	(155) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./0
I088	10U:PC-8...															
	P: Scalable	Upright(0)		Medium(0)	COPENHAG Reg	(157) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./01
I089	10U:PC-8...															
	P: Scalable	Upright(0)		Bold(3)	COPENHAG Bd	(157) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'0*+,.-./
I090	10U:PC-8...															
	P: Scalable	Italic(1)		Medium(0)	COPENHAG It	(157) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'0*+,.-./0
I091	10U:PC-8...															
	P: Scalable	Italic(1)		Bold(3)	COPENHAG BdIt	(157) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'0*+,.-./
I092	10U:PC-8...															
	P: Scalable	Upright(0)		Medium(0)	PORTUGAL Reg	(158) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./012
I093	10U:PC-8...															
	P: Scalable	Upright(0)		Bold(3)	PORTUGAL Bd	(158) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./012
I094	10U:PC-8...															
	P: Scalable	Italic(1)		Medium(0)	PORTUGAL It	(158) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./012
I095	10U:PC-8...															
	P: Scalable	Italic(1)		Bold(3)	PORTUGAL BdIt	(158) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'()*+,.-./012
I096	10U:PC-8...															
	P: Scalable	Italic(1)		Medium(0)	CALGARY	(159) (:point size 0.25 - 999.75)										ABCDefgh123ç¬½¼j«»!#\$%&'0*+,.-./012345678
I097	10U:PC-8...															
	F: Scalable	Upright(0)		Medium(0)	BROUGHAM Reg	(4099) (:pitch 0.10 - 576)										ABCDefgh123ç¬½¼j«»!#\$%&' ()*+, -
I098	10U:PC-8...															
	F: Scalable	Upright(0)		Bold(3)	BROUGHAM Bd	(4099) (:pitch 0.10 - 576)										ABCDefgh123ç¬½¼j«»!#\$%&' ()*+, -
I099	10U:PC-8...															
	F: Scalable	Italic(1)		Medium(0)	BROUGHAM It	(4099) (:pitch 0.10 - 576)										ABCDefgh123ç¬½¼j«»!#\$%&' ()*+, -
I100	10U:PC-8...															
	F: Scalable	Italic(1)		Bold(3)	BROUGHAM BdIt	(4099) (:pitch 0.10 - 576)										ABCDefgh123ç¬½¼j«»!#\$%&' ()*+, -
I101	10U:PC-8...															
	F: Scalable	Upright(0)		Medium(0)	LETTERGO Reg	(4102) (:pitch 0.10 - 576)										ABCDefgh123ç¬½¼j«»!#\$%&' ()*+, -

ID:Symbol Set ID

PORTRAIT LIST

INTERNAL FONT

ID:Symbol Set ID