

Group	Model Name	Paper size
<u>A</u>	DCP-J1200N	A4/LTR
	DCP-J1200W	
	DCP-J1200WE	
	DCP-J1200W XL	
	MFC-J1205W	
	MFC-J1205W XL	
	MFC-J1215W	
	MFC-J1215W XL	
	DCP-J1203N	
	DCP-C1210N	
	DCP-T220	
	DCP-T225	
	DCP-T226	
	DCP-T420W	
	DCP-T425W	
	DCP-T426W	
	DCP-T428W	
	DCP-C421W	
<u>B</u>	DCP-J1050DW	
	DCP-J526N	
	DCP-J528N	
	MFC-J1010DW	
	MFC-J1012DW	
<u>C</u>	MFC-J739DN	
	MFC-J739DWN	
<u>D</u>	DCP-T520W	
	DCP-T525W	
<u>E</u>	DCP-J1140DW	
	DCP-J914N	
	DCP-J915N	
	DCP-J926N-B	
	DCP-J928N-B	
	DCP-J926N-W	
	DCP-J928N-W	
	MFC-J1110DW	
	MFC-J1170DW	
	MFC-J904N	
	MFC-J905N	
	MFC-J939DN	
	MFC-J939DWN	
	DCP-J1800N	
	DCP-J1800DW	
	DCP-J1700DW	
	MFC-J1800DW	
<u>F</u>	DCP-T720DW	
	DCP-T725DW	
	DCP-T820DW	
	DCP-T825DW	
	MFC-T920DW	
	MFC-T925DW	
<u>G</u>	DCP-J4140N	
	DCP-J4143N	
	MFC-J4335DW	
	MFC-J4335DW XL	
	MFC-J4340DW	
	MFC-J4340DW XL	
	MFC-J4340DWE	
	MFC-J4345DW XL	
	MFC-J4440DW	
	MFC-J4440N	
	MFC-J4443N	
	MFC-J4535DW	
	MFC-J4535DW XL	
	MFC-J4540DW	
	MFC-J4540DW XL	
	MFC-J4540N	
	MFC-J4543N	
	MFC-J4740DW XL	
	MFC-J4940DN	

Printing Device & Test Settings

Test Date	2020/10/28
Tested by	Resie
Temperature and Humidity	24.5 C / 68.5%

Model	DCP-T220	
Serial Number	E80714K0H749347	
Firm	Boot	B2009021443
	Main	Ver.1.12 C2009020822

Color or BW	COLOR & BW
Simplex/Duplex	SIMPLEX
PrintDriver ver.	VER.3.1.0
I/F	USB

Paper	Paper Manufacturer	DOUBLE A PREMIUM
	Weight	80GRM
	Size	LTR
	Type / Name	DOUBLE A PREMIUM

Test system	Computer	LENOVO THINK CENTRE
	Processor	INTEL(R)CORE(TM)i5-4590 cpu @ 3.30GHz(4CPUs),~3.3GHz
	System Chip Set	ENTEL(R)HD GRAPHICS FAMILY
	System Board	-
	System Memory	4096MB RAM
	Hard Drive and Subsystem	-
	Video system	-
	Optial Drive	-
	I/O Subsystem	-
	USB Subsystem	-
Software	Operating System	WINDOWS 10 professional 64-bit(6.1 build 7601
	Printing Application	ADOBE READER XI
		microsoft word 2010
		MICROSoft EXCEL 2010
	Test FilesLocation	HARD DRIVE

Summary Report

	mode	FSOT	ESAT
color	Simplex	30.26	9.86
	Duplex		
mono	Simplex	17.12	16.50
	Duplex		

Full Report

	S/D	File	FSOT	EFTP			ESAT
				1set	+30sec	+4min	
color	Simplex	PDF	34.56	6.95	7.08	7.24	7.58
					2 sets	9 sets	
		Word	17.74	13.54	14.25		15.44
					3 sets		
	Duplex	Excel	38.48	6.24	6.32		6.57
					2 sets		
		Ave.	30.26				9.86
		PDF					
		Word					
		Excel					
		Ave.					
mono	Simplex	PDF	17.99	13.35	14.13	14.40	15.19
					3 sets	16 sets	
		Word	14.94	16.12	18.16		19.41
					4 sets		
	Duplex	Excel	18.42	13.04	13.78		14.91
					3 sets		
		Ave.	17.12				16.50
		PDF					
		Word					
		Excel					
		Ave.					

ISO/IEC 24735 Annex D Report

0 Printing Device & Test Settings

Item	Content	
Model	DCP-T220	
Specification	CHN	
FirmVersion	Boot	B2009021443
	Main	Ver.1.12 C2009020822
Tested by	Resie	
Test Date	2020/10/28	
Colour/B&W	COLORr/BW	
Paper Size	LTR	
Paper Type / Name	DOUBLE A PREMUIM	

1 Summary Report

Copying mode	FCOT (sec)	Continuous Copying Speed (cpm)
Colour	26.1	2.9
B&W	11.1	7.3

ISO/IEC 24734 Report

Printing Device & Test Settings

Test Date	2021/4/15
Tested by	KARREN
Temperature and Humidity	23.4C / 64.4%

Model		MFC-J1012DW
Serial Number		U66563D1H908037
Firm	Boot	B2009021443
	Main	Ver1.02 A2103121058

Color or BW	COLOR & BW
Simplex/Duplex	SIMPLEX & DUPLEX
PrintDriver ver.	ver.1.1.0
I/F	USB

Paper	Paper Manufacturer	DOUBLE A PREMIUM
	Weight	80GRM
	Size	LTR
	Type / Name	DOUBLE A PREMIUM

Test system	Computer	HP ENVY beatsaudio
	Processor	Intel Core i7 @ 3.50GHz
	System Chip Set	INTEL(R)HD GRAPHICS FAMILY
	System Board	-
	System Memory	4096MB RAM
	Hard Drive and Subsystem	-
	Video system	-
	Optical Drive	-
	I/O Subsystem	-
	USB Subsystem	-
Software	Operating System	Windows 10 Ultimate SP1
	Printing Application	ADOBE READER XI
		microsoft word 2010
		MICROSOFT EXCEL 2010
	Test FilesLocation	HARD DRIVE

Summary Report

	mode	FSOT	ESAT
color	Simplex	29.66	10.53
	Duplex	60.56	4.46
mono	Simplex	16.47	17.32
	Duplex	45.73	5.68

Full Report

	S/D	File	FSOT	EFTP			ESAT
				1set	+30sec	+4min	
color	Simplex	PDF	34.07	7.05	6.93	7.18	6.97
		Word	17.24	13.93	2 sets	8 sets	17.46
					4 sets		
		Excel	37.67	6.38	6.44		7.16
		Ave.	29.66		2 sets		10.53
	Duplex	PDF	63.95	3.76	3.62	3.64	3.92
		Word	45.73	5.25	2 sets	6 sets	5.83
					5.13		
		Excel	72.02	3.34	2 sets		3.64
					3.32		
		Ave.	60.56		2 sets		4.46
mono	Simplex	PDF	17.80	13.52	14.57	15.58	15.88
		Word	14.17	16.95	4 sets	18 sets	19.83
					18.39		
		Excel	17.44	13.77	14.74		16.25
		Ave.	16.47		4 sets		17.32
	Duplex	PDF	46.59	5.16	5.02	4.95	5.55
		Word	42.56	5.64	2 sets	7 sets	6.02
					5.49		
		Excel	47.20	5.09	2 sets		5.48
					5.04		
		Ave.	45.45		2 sets		5.68

ISO/IEC 24735 Summary Report

Printing Device & Test Settings

Model	MFC-J1012DWUS/CAN	
Firm	Boot	B2009021443
	Main	1.02 A2103121058
Tested by	KARREN	
Test Date	2021/4/15	
Colour/B&W	Colour	
DuplexPrint	Yes	
DuplexScan	No	
Paper Size	LETTER	
Paper Type / Name	Double A	

Summary Report

Copying mode		FSOT(sec)	ESAT(ipm)
Colour	1:1	96.0	4.7
	1:2	122.0	2.9
	2:2		
B&W	1:1	37.8	14.1
	1:2	64.6	5.1
	2:2		

Full Report

Copying mode		FSOT(sec)	EFTP(ipm)			ESAT(ipm)
			240 seconds / FSOT	1set +30sec	1set +4minutes	
Colour	1:1	95.90	2.50	3.25	3.93	4.72
				2 sets	6 sets	
	1:2	122.00	1.97	2.27	2.41	2.90
				2 sets	6 sets	
	2:2					
B&W	1:1	37.76	6.35	9.94	11.28	14.15
				3 sets	10 sets	
	1:2	64.56	3.73	4.08	4.49	5.19
				2 sets	6 sets	
	2:2					

ISO/IEC 24734 Report

Printing Device & Test Settings

Test Date	2024/8/5-7
Tested by	K. Sakurai
Temperature and Humidity	25.5C-63%

Model		MFC-J739DN
Serial Number		E80977D4H981308
Firm	Boot	B2204251418
	Main	VER.1.12 L2401311146

Color or BW	COLOR & BW
Simplex/Duplex	SIMPLEX
PrintDriver ver.	VER.1.1.0. 06 jan 2021
I/F	USB

Paper	Paper Manufacturer	DOUBLE A PREMIUM
	Weight	80GRM
	Size	A4
	Type / Name	DOUBLE A PREMIUM

Test system	Computer	TOSHIBA dynabook
	Processor	INTEL(R)CORE(TM)i5-6200 cpu @ 2.30GHz~2.40GHz
	System Chip Set	ENTEL(R)HD GRAPHICS FAMILY
	System Board	BIOS
	System Memory	8.00GB
	Hard Drive and Subsystem	256G
	Video system	INTEL® HD Graphics 520
	Optial Drive	-
	I/O Subsystem	-
	USB Subsystem	-
Software	Operating System	WINDOWS 10 pro 64-bit 22H2
	Printing Application	Adobe Acrobat READER
		microsoft word 365
	Test Files Location	MICROSoft EXCEL 365 HARD DRIVE

Summary Report

	mode	FSOT	ESAT
color	Simplex	31.00	10.09
	Duplex		
mono	Simplex	17.79	17.26
	Duplex		

Full Report

	S/D	File	FSOT	EFTP			ESAT
				1set	+30sec	+4min	
color	Simplex	PDF	35.55	6.75	6.56	7.33	7.66
		Word	18.79	12.78	2 sets	9 sets	15.78
					14.01		
		Excel	38.68	6.21	6.15		6.83
		Ave.	31.00		2 sets		10.09
	Duplex	PDF					
		Word					
		Excel					
		Ave.					
mono	Simplex	PDF	18.66	12.87	13.88	14.35	15.90
		Word	16.02	14.98	4 sets	17 sets	20.09
					17.63		
		Excel	18.70	12.83	4 sets		15.78
		Ave.	17.79		4 sets		17.26
	Duplex	PDF					
		Word					
		Excel					
		Ave.					

ISO/IEC 24735 Annex D Report

Printing Device & Test Settings

Item	Content	
Model	MFC-J739DN	
Destination	JPN	
FirmVersion	Boot	B2204251418
	Main	Ver.1.12 L2401311146
Tested by	K. Sakurai	
Test Date	2024/8/5	
Colour/B&W	Colour	
Paper Size	A4	
Paper Type / Name	DOUBLE A	

Summary Report

Copying mode	FCOT (sec)	Continuous Copying Speed (cpm)
Colour	20.40	4.2
B&W	9.91	13.8

ISO/IEC 24734 Report

Printing Device & Test Settings

Test Date	2021/4/6
Tested by	RESIE
Temperature and Humidity	23C-62%

Model		DCP-T520W
Serial Number		E80722D1H126664
Firm	Boot	B1911200942
	Main	VER.1.11 E2012142244

Color or BW	COLOR & BW
Simplex/Duplex	SIMPLEX
PrintDriver ver.	VER.1.2.0 19MARCH2020
I/F	USB

Paper	Paper Manufacturer	DOUBLE A PREMIUM
	Weight	80GRM
	Size	A4
	Type / Name	DOUBLE A PREMIUM

Test system	Computer	LENOVO THINK CENTRE
	Processor	RE(TM)i5-4590 cpu @ 3.30GHz(4CP
	System Chip Set	ENTEL(R)HD GRAPHICS FAMILY
	System Board	
	System Memory	4096MB RAM
	Hard Drive and Subsystem	
	Video system	
	Optial Drive	
	I/O Subsystem	
	USB Subsystem	
Software	Operating System	WINDOWS 7 professional 64-bit(6.1 build 7601
	Printing Application	ADOBE READER XI
		microsoft word 2010
		MICROSOft EXCEL 2010
	Test Files Location	HARD DRIVE

Summary Report

	mode	FSOT	ESAT
color	Simplex	30.00	10.26
	Duplex		
mono	Simplex	16.50	17.21
	Duplex		

Full Report

	S/D	File	FSOT	EFTP			ESAT
				1set	+30sec	+4min	
color	Simplex	PDF	34.32	6.99	7.05	6.57	7.59
		Word	17.69	13.57	2 sets	9 sets	16.37
					3 sets		
		Excel	37.99	6.32	6.35		6.80
		Ave.	30.00		2 sets		10.26
	Duplex	PDF					
		Word					
		Excel					
		Ave.					
mono	Simplex	PDF	17.17	13.98	14.92	12.77	16.06
		Word	14.47	16.59	3 sets	18 sets	20.07
					4 sets		
		Excel	17.88	13.43	14.30		15.51
		Ave.	16.50		3 sets		17.21
	Duplex	PDF					
		Word					
		Excel					
		Ave.					

ISO/IEC 24735 Annex D Report

Printing Device & Test Settings

Item	Content	
Model	DCP-T520W	
Destination	MEX	
FirmVersion	Boot	B19112200942
	Main	Ver.1.21 M2407220841
Tested by	K. Sakurai	
Test Date	2024/7/31	
Colour/B&W	Colour	
Paper Size	A4	
Paper Type / Name	DOUBLE A	

Summary Report

Copying mode	FCOT (sec)	Continuous Copying Speed (cpm)
Colour	22.20	4.1
B&W	10.30	11.7

ISO/IEC 24734 Report

Printing Device & Test Settings

Test Date	2021/4/20
Tested by	KARREN
Temperature and Humidity	23.4C / 60.8%

Model		MFC-J1170DW US
Serial Number		U66396D1H908098
Firm	Boot	B2009021443
	Main	VER.1.02 A2103121046

Color or BW	COLOR & BW
Simplex/Duplex	SIMPLEX&DUPLEX
PrintDriver ver.	VER.1.1.0
I/F	USB

Paper	Paper Manufacturer	DOUBLE A PREMIUM
	Weight	80GRM
	Size	LETTER
	Type / Name	DOUBLE A PREMIUM

Test system	Computer	Lenovo Think Centre
	Processor	Core™ i5-8400 'CPU @ 2.80GHz 2.
	System Chip Set	Intel R HD Graphics Family
	System Board	4096MB Ram
	System Memory	
	Hard Drive and Subsystem	
	Video system	
	Optial Drive	
	I/O Subsystem	
	USB Subsystem	
Software	Operating System	Windows 10
	Printing Application	MICROSOFT OFFICE 2010
		MICROSOFT EXCEL 2010
		ADOBE READER XI
	Test Files Location	DESKTOP

Summary Report

	mode	FSOT	ESAT
color	Simplex	17.60	17.01
	Duplex	45.58	5.67
mono	Simplex	16.29	17.43
	Duplex	44.52	5.73

Full Report

	S/D	File	FSOT	EFTP			ESAT
				1set	+30sec	+4min	
color	Simplex	PDF	17.75	13.52	14.25	14.42	15.39
					4 sets	17 sets	
		Word	14.66	16.37	18.21		20.01
					4 sets		
	Duplex	Excel	20.38	11.78	13.97		15.64
					3 sets		
		Ave.	17.60				17.01
		PDF	46.13	5.20	4.85	4.77	5.31
					2 sets	7 sets	
		Word	42.06	5.71	5.50		6.12
					2 sets		
mono	Simplex	Excel	48.57	4.94	5.02		5.60
					2 sets		
		Ave.	45.58				5.67
		PDF	17.29	13.88	14.73	12.37	15.97
	Duplex				3 sets	17 sets	
		Word	14.24	16.85	18.43		20.02
					4 sets		
		Excel	17.34	13.84	15.12		16.31
					4 sets		
		Ave.	16.29				17.43
		PDF	45.55	5.27	4.88	4.86	5.36
	Duplex				2 sets	7 sets	
		Word	41.73	5.75	5.58		6.12
					2 sets		
		Excel	46.27	5.19	5.16		5.71
					2 sets		
		Ave.	44.52				5.73

ISO/IEC 24735 Summary Report

Printing Device & Test Settings

Item	Content	
Model	MFC-J1170DW	
Destination	US	
S/N	U66396D1H908098	
FirmVersion	Boot	B2009021443
	Main	1.02 A2103121046
Inspector	KARREN	
Evaluation Date	2021/4/21	
Colour/B&W	Colour	
DuplexPrint	Yes	
DuplexScan	No	
Paper Size	LETTER	
Paper Type / Name	Double A	

Summary Report

	Copying mode	FSOT(sec)	ESAT(ipm)
Colour	1:1	67.70	10.68
	1:2	89.64	4.70
	2:2		
B&W	1:1	37.48	13.34
	1:2	66.92	5.32
	2:2		

Full Report

	Copying mode	FSOT(sec)	EFTP(ipm)			ESAT(ipm)
			240 seconds / FSOT	1set +30sec	1set +4minutes	
Colour	1:1	67.70	3.54	6.52	8.69	10.68
	1:2	89.64	2.67	3 sets	12 sets	4.70
				2 sets	6 sets	
B&W	1:1	37.48	6.40	9.40	10.56	13.34
	1:2	66.92	3.58	3 sets	15 sets	5.32
				4.2	4.3	
	2:2			2 sets	7 sets	

ISO/IEC 24734 Report

Printing Device & Test Settings

Test Date	2020/9/14
Tested by	SALDY
Temperature and Humidity	24.6C/56.8%

Model		DCP-T720DW
Serial Number		E80729J0H514981
Firm	Boot	B1911220942
	Main	Ver. 1.06 B2006080835

Color or BW	COLOR & BW
Simplex/Duplex	SIMPLEX & DUPLEX
PrintDriver ver.	ver.1.1.0
I/F	USB

Paper	Paper Manufacturer	DOUBLE A PREMIUM
	Weight	80GRM
	Size	LTR
	Type / Name	DOUBLE A PREMIUM

Test system	Computer	LENOVO THINK CENTRE
	Processor	INTEL(R)CORE(TM)i5-4590 cpu @ 3.30GHz(4CPUs)~3.3GHz
	System Chip Set	ENTEL(R)HD GRAPHICS FAMILY
	System Board	-
	System Memory	4096MB RAM
	Hard Drive and Subsystem	-
	Video system	-
	Optical Drive	-
	I/O Subsystem	-
Software	USB Subsystem	-
	Operating System	Windows 10 Ultimate SP1
	Printing Application	ADOBE READER XI
		microsoft word 2010
		MICROSOFT EXCEL 2010
	Test FilesLocation	HARD DRIVE

Summary Report

	mode	FSOT	ESAT
color	Simplex	17.21	16.67
	Duplex	47.75	5.52
mono	Simplex	16.31	17.10
	Duplex	44.93	5.53

Full Report

	S/D	File	FSOT	EFTP			ESAT
				1set	+30sec	+4min	
color	Simplex	PDF	18.31	13.11	13.35	12.64	15.03
					3 sets	17 sets	
		Word	14.55	16.50	18.02		20.12
					4 sets		
	Duplex	Excel	18.77	12.79	13.20		14.85
					3 sets		
		Ave.	17.21				16.67
		PDF	48.93	4.91	4.61	4.65	5.31
					2 sets	7 sets	
		Word	44.93	5.35	5.11		5.90
					2 sets		
mono	Simplex	Excel	49.39	4.86	4.80		5.34
					2 sets		
		Ave.	47.75				5.52
		PDF	17.32	13.86	13.91	14.25	14.94
	Duplex				4 sets	16 sets	
		Word	13.94	17.23	18.69		20.33
					4 sets		
		Excel	17.66	13.60	14.49		16.03
					4 sets		
		Ave.	16.31				17.10
		PDF	47.79	5.03	4.68	4.83	5.24
	Duplex				2 sets	5 sets	
		Word	44.36	5.41	5.22		5.83
					2 sets		
		Excel	48.46	4.96	4.99		5.51
					2 sets		
		Ave.	46.87				5.53

ISO/IEC 24735 Summary Report

Printing Device & Test Settings

Item	Content	
Model	MFC-T920DW	
Destination	INDIA	
S/N	E80732E1H283740	
FirmVersion	Boot	B1911220942
	Main	1.11 E2012150002
Inspector	JOSIE	
Evaluation Date	2021/5/10	
Colour/B&W	Colour	
DuplexPrint	Yes	
DuplexScan	No	
Paper Size	A4	
Paper Type / Name	Double A	

Summary Report

	Copying mode	FSOT(sec)	ESAT(ipm)
Colour	1:1	69.91	11.35
	1:2	96.63	4.72
	2:2		
B&W	1:1	39.84	14.14
	1:2	67.92	5.34
	2:2		

Full Report

	Copying mode	FSOT(sec)	EFTP(ipm)			ESAT(ipm)
			240 seconds / FSOT	1set +30sec	1set +4minutes	
Colour	1:1	69.91	3.43	6.37	8.48	11.35
	1:2	96.63	2.48	3 sets	13 sets	4.72
				2 sets	6 sets	
B&W	1:1	39.84	6.02	9.02	10.28	14.14
	1:2	67.92	3.53	3 sets	16 sets	5.34
				4.1	4.3	
	2:2			2 sets	7 sets	

ISO/IEC 24735 Summary Report

Printing Device & Test Settings

Item	Content	
Model	MFC-J4335DW	
Destination	US	
S/N	U656273B1H610979	
FirmVersion	Boot	B2012241303
	Main	VER 1.14 C2012231922
Inspector	LUZ	
Evaluation Date	02-22-2021	
Colour/B&W	Colour	
DuplexPrint	Yes	
DuplexScan	No	
Paper Size	LETTER	
Paper Type / Name	Double A	

Summary Report

	Copying mode	FSOT(sec)	ESAT(ipm)
Colour	1:1	36.47	10.86
	1:2	54.25	7.69
	2:2		
B&W	1:1	30.36	13.30
	1:2	38.75	8.30
	2:2		

Full Report

	Copying mode	FSOT(sec)	EFTP(ipm)			ESAT(ipm)
			240 seconds / FSOT	1set +30sec	1set +4minutes	
Colour	1:1	36.47	6.58	6.79	9.27	10.86
	1:2	54.25	4.42	3 sets	12 sets	7.69
				5.4	6.8	
B&W	2:2			3 sets	9 sets	
	1:1	30.36	7.90	9.84	11.04	13.30
	1:2	38.75	6.19	3 sets	15 sets	8.30
				6.7	7.0	
	2:2			3 sets	10 sets	

ISO/IEC 24734 Report

Printing Device & Test Settings

Test Date	2024/7/31
Tested by	K. Sakurai
Temperature and Humidity	25.5C-63%

Model		MFC-J4940DN
Serial Number		E80924F2H803215
Firm	Boot	B2111101625
	Main	VER.1.10 F2303221246

Color or BW	COLOR & BW
Simplex/Duplex	SIMPLEX&DUPLEX
PrintDriver ver.	VER.1.1.0. 06 jan 2021
I/F	USB

Paper	Paper Manufacturer	DOUBLE A PREMIUM
	Weight	80GRM
	Size	A4
	Type / Name	DOUBLE A PREMIUM

Test system	Computer	TOSHIBA dynabook
	Processor	INTEL(R)CORE(TM)i5-6200 cpu @ 2.30GHz~2.40GHz
	System Chip Set	INTEL(R)HD GRAPHICS FAMILY
	System Board	BIOS
	System Memory	8.00GB
	Hard Drive and Subsystem	256G
	Video system	INTEL® HD Graphics 520
	Optical Drive	-
	I/O Subsystem	-
	USB Subsystem	-
Software	Operating System	WINDOWS 10 pro 64-bit 22H2
	Printing Application	Adobe Acrobat READER
		microsoft word 365
	Test Files Location	MICROSoft EXCEL 365 HARD DRIVE

Summary Report

	mode	FSOT	ESAT
color	Simplex	17.54	19.27
	Duplex	25.83	11.00
mono	Simplex	16.63	20.11
	Duplex	24.65	11.16

Full Report

	S/D	File	FSOT	EFTP			ESAT
				1set	+30sec	+4min	
color	Simplex	PDF	17.26	13.90	14.51	16.40	17.19
		Word	16.80	14.29	4 sets	19 sets	23.43
					5 sets		
		Excel	18.56	12.93	14.37		17.19
	Duplex	Ave.	17.54		4 sets		19.27
		PDF	27.08	8.86	9.08	9.80	10.35
		Word	23.35	10.28	3 sets	12 sets	12.47
					3 sets		
		Excel	27.07	8.87	8.96		10.19
		Ave.	25.83		3 sets		11.00
mono	Simplex	PDF	16.42	14.62	16.03	17.33	18.08
		Word	15.91	15.08	4 sets	20 sets	23.95
					5 sets		
		Excel	17.57	13.66	15.67		18.29
	Duplex	Ave.	16.63		4 sets		20.11
		PDF	25.62	9.37	9.64	10.23	10.68
		Word	22.74	10.55	3 sets	12 sets	12.17
					3 sets		
		Excel	25.59	9.38	9.45		10.65
		Ave.	24.65		3 sets		11.16

ISO/IEC 24735 Summary Report

Printing Device & Test Settings

Item	Content	
Model	MFC-J4335DW	
Destination	US	
S/N	U656273B1H610979	
FirmVersion	Boot	B2012241303
	Main	VER 1.14 C2012231922
Inspector	LUZ	
Evaluation Date	02-22-2021	
Colour/B&W	Colour	
DuplexPrint	Yes	
DuplexScan	No	
Paper Size	LETTER	
Paper Type / Name	Double A	

Summary Report

	Copying mode	FSOT(sec)	ESAT(ipm)
Colour	1:1	36.47	10.86
	1:2	54.25	7.69
	2:2		
B&W	1:1	30.36	13.30
	1:2	38.75	8.30
	2:2		

Full Report

	Copying mode	FSOT(sec)	EFTP(ipm)			ESAT(ipm)
			240 seconds / FSOT	1set +30sec	1set +4minutes	
Colour	1:1	36.47	6.58	6.79	9.27	10.86
				3 sets	12 sets	
	1:2	54.25	4.42	5.4	6.8	7.69
				3 sets	9 sets	
	2:2					
B&W	1:1	30.36	7.90	9.84	11.04	13.30
				3 sets	15 sets	
	1:2	38.75	6.19	6.7	7.0	8.30
				3 sets	10 sets	
	2:2					